BASIC STRUCTURAL ANALYSIS

CIVIL ENGINEERING VIRTUAL LABORATORY

EXPERIMENT: 8 TRUSSES

TRUSSES:

The basic building block of a truss is a triangle. Large truss are constructed by attaching several triangles together. A new triangle can be added truss by adding two members and a joint. A truss constructed in this fashion is known as a simple truss. A truss is analyzed by using m = 2j - 3, where m is number of members, j represents the number of joints and 3 represents the external support reactions.

Plane truss lie in a single plane.

In straight members forces act along the axis of the member. Compressive forces tend to shorten the member. Tensile forces tend to elongate the member.

Space trusses: not contained in a single plane and/or loaded out of the structure plane.

There are four main assumptions made in the analysis of truss

- 1. Truss members are connected together at their ends only.
- 2. Truss are connected together by friction less pins.
- 3. The truss structures is loaded only at the joints
- 4. The weights of the members may be neglected.

Techniques for Truss Analysis


Method of joints: usually used to determine forces for all members of truss

Method of sections: usually used to determine forces for specific members of truss

Determining Zero-force members: members which do not contribute to the stability of a structure

Determining conditions for analysis: is the system statically determinate?

PART – 2
ANIMATION STEPS



PART – 3 VIRTUAL LAB FRAME